Bar Aid by HOBART



BarAíd 400S Glasswasher

A compact and efficient 400 x 400mm basket glasswasher capable of up to 48 cycles per hour.

Ease of Operation

- Electronic controls simple to use, easy to understand
- Easy to clean just 4 components to remove
- Automatic drain down and self flushing cycle fast, efficient and promotes good hygiene standards
- Comprehensive specification all pumps and dosing equipment fitted as standard




Consistently outstanding wash results

- Upper and lower combined wash and rinse arms 100% glass coverage for perfect wash results
- Standard built in softener ensures optimum water quality to deliver a sparkling finish
- Integral detergent and rinse aid pumps precise dosing for streak free results
- Choice of 90 or 120 second cycles fast cycles, high output



Energy saving features

- Multi phasing power options can be reconfigured to suit different electrical requirements
- Compact L shaped 7 litre wash tank and economical 2.9 litre rinse ensures low running costs



Points to remember

Using the correct glass racks will significantly improve washed results.

A tilted and divided rack promotes rapid drying and safer handling of glasses and helps eliminate breakages.

Supplied as standard with: 1 x 4 Division Tilt Rack, 1 x Open Rack

BarAíd 800S

A versatile and economical front loading dishwasher capable of washing up to 40 racks per hour (approx. 160 covers per hour)

Ease of Operation

- Single button control easy to use and understand
- Chamber and wash tank with smooth, rounded corners and polished interior no dirt traps and easy to access
- Easy to clean only 6 removable items for cleaning
- Hygienic self flushing drain cycle on machine shut down
- Comprehensive specification all pumps and dosing equipment fitted as standard



Consistently outstanding wash results

- Powerful 0.6 kW pump delivers total wash coverage via separate upper and lower wash and rinse arms
- Standard built in softener ensures optimum water quality
- Integral detergent and rinse aid pumps precise dosing for guaranteed quality results
- Choice of 90 or 180 second cycles standard cycle for crockery and cutlery plus a longer cycle for heavy soiling, containers, etc
- Interlocked strainer ensures correct location and operation of filter system
- Two stage strainer system removes debris and helps to protect the wash pump



Energy saving features

- Economical rinse system uses just 2.5 litres of fresh water per cycle saving on water, energy, detergent and rinse aid costs
- Double skinned construction keeps radiated heat and noise levels to a minimum and reduces energy loss
- Wash tank capacity of just 10.8 litres, saves on water, energy and detergent



Supplied as standard with: 1 x Plate Rack, 1 x Open Rack, 1 x 4 Comp. Cutlery Basket

BarAíd 900S

A powerful Hood Type Dishwasher capable of washing up to 60 racks per hour (approx. 240 covers per hour)

Ease of Operation

- Hood mounted single button control with colour cycle indication - easy to use and understand
- Hygienic self flushing drain cycle on machine shut down
- Comprehensive specification all pumps and dosing equipment fitted as standard
- 440mm Hood Opening Height allows double racking of cups, saucers, etc and easy loading of trays
- Comprehensive specification all pumps fitted as standard

Consistently outstanding wash results

- Powerful 0.73 kW pump delivers total wash coverage via separate upper and lower wash and rinse arms
- Standard built in softener ensures optimum water quality
- Integral detergent and rinse aid pumps precise dosing for guaranteed quality results
- Choice of 60, 90 or 120 second cycles to suit a variety of ware and degree of soiling
- Interlocked strainer ensures correct location and operation of filter system
- Two stage filter system removes debris and helps to protect the wash pump
- The advanced rinse system delivers optimised water distribution at a constant 82°C

Energy saving features

- Unique 4 sided hood fully enclosed hood prevents heat and steam escaping when the hood is raised saving energy
- 440mm high hood opening, high enough to allow double racking
- Economical rinse system uses just 2.5 litres of fresh water per cycle saving on water, energy, detergent and rinse aid costs
- Wash tank capacity of just 21 litres saves on water, energy and detergent consumption









BarAíd 500S Glasswasher

A high performance, high capacity 500 x 500mm basket glasswasher with a comprehensive specification designed to deliver up to 1500 sparkling clean glasses per hour.

Ease of Operation

- Single button control easy to use and understand
- Chamber and wash tank with smooth, rounded corners and polished interior no dirt traps and easy to access
- Easy to clean only 6 removable items for cleaning
- Automatic self flushing drain cycle on machine shut down
- Comprehensive specification all pumps and dosing equipment fitted as standard

Consistently outstanding wash results

- Separate upper and lower wash and rinse arms complete glass coverage ensuring perfect wash results
- Standard built in softener ensures optimum water quality
- Integral detergent and rinse aid pumps precise dosing for guaranteed quality results
- Choice of 90 or 120 second cycles fast cycles, high output
- Interlocked strainer ensures correct location and operation of filter system
- Two stage strainer system removes debris and helps to protect the wash pump





Energy saving features

- Economical rinse system uses just 2.5 litres of fresh water per cycle saving on water, energy, detergent and rinse aid costs
- Double skinned construction keeps radiated heat and noise levels to a minimum and reduces energy loss
- Wash tank capacity of just 10.8 litres, saves on water, energy and detergent

Supplied as standard with: 1 x 4 Division Tilt Rack



Technical Specification

Water Connection 3/4" BSP 3	Aid 900S
Max Water Temperature 60°c 60°c 60°c 60°c 60°c 2.5 litres 2.5 litre	
Wash Tank Volume 7 litres 10.8 litres 10.8 litres 21 litres 2000mm 200	Bar
Wash Tank Volume 7 litres 10.8 litres 10.8 litres 21 litres 2000mm 200	
Supply Hose Length 2000mm	
Drain Outlet (pumped) 28mm 28mm 28mm 2000mm 2	
Electrical Leading 2.8kW (1 x 13A) 5.6kW (1 x 25A) 7.0kW (3 x 16A) 7.7kW (3 x 16A) 7.7kW (3 x 16A) 4.9kW (1 x 25A) 7.7kW (3 x 16A) 0.6kW 0.6kW 0.7kW 0	
Electrical Leading 2.8kW (1 x 13A) 5.6kW (1 x 25A) 7.0kW (3 x 16A) 7.7kW (3 x 16A) 7.7kW (3 x 16A) 4.9kW (1 x 25A) 7.7kW (3 x 16A) 0.6kW 0.6kW 0.7kW 0	
Switchable to 6.3kW (1 x 32A) 7.7kW (3 x 16A) 7.7kW (3 x 16A) 4.9kW (1 x 32A) Pump Rating 0.45kW 0.6kW 0.6kW 0.7kW Power Cable Length 2000mm 2500mm 2500mm 2500mm Detergent Hose Length 2500mm 2500mm 2500mm	
Power Cable Length 2000mm 2500mm 2500mm 2500mm Detergent Hose Length 2500mm 2500mm 2500mm 2500mm	(16A)
Power Cable Length 2000mm 2500mm 2500mm 2500mm Detergent Hose Length 2500mm 2500mm 2500mm 2500mm	x 25A)
Power Cable Length 2000mm 2500mm 2500mm 2500mm Detergent Hose Length 2500mm 2500mm 2500mm 2500mm	
Rinse Aid Hose Length 2500mm 2500mm 2500mm 2500mm	
Programme (secs) PO1 90 90 60	
PO2 180 120 180 90	
P03 120	
Rack Size 400 x 400mm 500 x 500mm 500 x 500mm 500 x 500mm	mm
Rack Size 400 x 400mm 500 x 500mm 500 x 500mm 500 x 500mm 500 x 500 mm 500 x 500 mm 600 x 600 x 830 (+80) 635 x 740	x 1517 (1997)
Machine Weight 50kg 87kg 87kg 135kg	
Noise Level 60dB(A) 63dB(A) 63dB(A) 65dB(A)	
Supplied As Standard With 1 x 4 Division Rack 1 x 4 Division Rack 1 x Plate Rack 1 x Plate Rack	Rack
1 x Open Rack 1 x Open / Cup Rack 1 x Open /	Cup Rack
1 x Cutlery Basket 1 x Cutler	y Basket



HOBART INDEPENDENT

Southgate Way, Orton Southgate, Peterborough PE2 6GN

Tel: 0870 168 8881

Email: indsales@hobartindependent.com Web: www.hobartindependent.com